

COMMON FEATURES

- Professional paint spray guns for perfect painting results in the car and wood protection industry
- Even and precise application of paint

EQUIPMENT FEATURES

- Professional paint spray guns for perfect painting results in the car and wood protection industry
- Even and precise application of paint
- With air and paint volume control
- For fillers and paint in different viscosity levels



FB 90



FB 150



SB 200

	Paint Spray Gun FB 90	Paint Spray Gun FB 150
Special advantages		
<ul style="list-style-type: none"> With air and paint volume control Compact, very handy paint spray gun for small areas Ideal for minor repair jobs For fillers and paint in different viscosity levels 	•	•
Comparative device characteristics		
Working pressure	3,5 bar	4,5 bar
Air requirement	50 - 100 l/min	240 l/min
Weight	0,2 kg	0,6 kg
Standard equipment	Round spray nozzle Ø 1 mm, plastic flow bowl, 0.25 l	Nozzle Ø 1.5 mm, plastic flow bowl, 0.5 l
Type	FB 90	FB 150
Order no.	0901056064	0901003874

	Paint Spray Gun SB 200
Comparative device characteristics	
Working pressure	4,5 bar
Air requirement	240 l/min
Weight	0,7 kg
Standard equipment	Nozzle Ø 1.5 mm, metal suction cap 1 l
Type	SB 200
Order no.	0901003882

COMMON FEATURES

- Professional paint spray guns for perfect painting results in the car and wood protection industry
- Even and precise application of paint
- With air and paint volume control
- Infinitely adjustable for circular and wide spray



FB 2200

FB 2200 HVLP


	Paint Spray Gun FB 2200	Paint Spray Gun FB 2200 HVLP
Special advantages		•
■ With high volume low pressure: Low spraying pressure reduces the rebound of the paint mist: more material application and low paint consumption		
Comparative device characteristics		
Working pressure	4,5 bar	4,5 bar
Air requirement	200 l/min	200 l/min
Weight	0,75 kg	0,75 kg
Standard equipment	Nozzle Ø 1.5 mm, plastic flow bowl, 0.5 l	Nozzle Ø 1.5 mm, plastic flow bowl, 0.5 l
Type	FB 2200	FB 2200 HVLP
Order no.	0901054452	0901054460

ACCESSORIES FOR PAINT SPRAY GUNS

Spare flow bowls	
Suitable for	Order no.
Spare flow bowl, aluminium FB 150 (available as spare part)	1319143870



Diameter mm	Suitable for	Order no.
1,2	FB 150, SB 200	0901026858
1,5	FB 150, SB 200	0901026866
1,8	FB 150, SB 200	0901026874
2	FB 150, SB 200	0901026882
2,2	FB 150, SB 200	0901026890
2,5	FB 150, SB 200	0901026904
1,2	FB 2200	0901054649
1,5	FB 2200	0901054657
1,8	FB 2200	0901054665
2	FB 2200	0901054673
1,2	FB 2200 HVLP	0901055939
1,5	FB 2200 HVLP	0901055947
1,8	FB 2200 HVLP	0901055955
2	FB 2200 HVLP	0901055963



Suitable for	Order no.
FB 150	0901026785
SB 200	0901026793

SAWS

SPECIAL-PURPOSE MACHINES

SYSTEMATIC ORGANISATION

GARDEN

WOOD-PROCESSING TECHNOLOGY

WATER-/PUMP TECHNOLOGY

WELDING TECHNOLOGY

COMPRESSED AIR SYSTEMS

COMMON FEATURES

- For testing and inflating tyres
- Manometer with rubber guard
- With plug-in valve
- Very robust artisan model

COMMON FEATURES

- Unlimited applications in production and workshop, on the car and at home
- For quick cleaning of large areas and places difficult to reach



	Tyre Inflation Measuring Device RF 363	Tyre Inflation Measuring Device RF 480 calibrated
Special advantages		
■ Officially calibrated (incl. calibration charges)		•
■ Manometer protected from overpressure		•
Comparative device characteristics		
Working pressure	7 bar	10 bar
Weight	0,7 kg	0,95 kg
Type Order no.	RF 363 0901054622	RF 480 0901054630

Accessories for RF 480		Order no.
	Manometer Ø 80 mm (1-10 bar) With protecting cap	7823672327
	Lever connector with clip	7710672339
	Connecting hose with lever connector	1001672319

	Blow Gun BP 40 SP	Blow Gun BP 60	Blow Gun BP 70
Special advantages			
■ Very light aluminium model		•	•
■ Housing made of full plastic	•		
Comparative device characteristics			
Working pressure	2 - 6 bar	2 - 6 bar	2 - 6 bar
Air requirement	100 - 200 l/min	100 - 200 l/min	100 - 200 l/min
Weight	0,18 kg	0,1 kg	0,14 kg
Standard equipment			Extension 210 mm
Type Order no.	BP 40 SP 0901063443	BP 60 0901026718	BP 70 0901026726

SAWS

SPECIAL-PURPOSE MACHINES

SYSTEMATIC ORGANISATION

GARDEN

WOOD-PROCESSING TECHNOLOGY

WATER-/PUMP TECHNOLOGY

WELDING TECHNOLOGY

COMPRESSED AIR SYSTEMS

COMMON FEATURES

- Unlimited applications in production and workshop, on the car and at home
- For quick cleaning of large areas and places difficult to reach
- Housing made of full plastic
- Exact dosage of compressed air

COMMON FEATURES

- Unlimited applications in production and workshop, on the car and at home
- For quick cleaning of large areas and places difficult to reach
- Light alloy model. Made of aluminium, forged



BP 200

BP 300



BPA 150

BPS 470

	Blow Gun BP 200	Blow Gun BP 300
Special advantages		
■ Venturi nozzle: air delivery volume is 5 times higher than that of conventional blow guns		•
■ Efficient and energy-saving, since 2/3 of the ambient air is sucked in by means of the Venturi principle.		•
■ The large nozzle produces a wide blowing effect with very high blowing power		•
Comparative device characteristics		
Working pressure	2 - 6 bar	2 - 6 bar
Air requirement	200 l/min	200 l/min
Weight	0,12 kg	0,12 kg
Standard equipment	Extension 210 mm	Venturi nozzle
Type	BP 200	BP 300
Order no.	0901054606	0901054614

	Blow Gun BPA 150	Blow Gun BPS 470
Special advantages		
■ Safety nozzle for safe operation and reduced noise level (76 dB(A) at 6 bar working pressure)		•
Comparative device characteristics		
Working pressure	2 - 6 bar	4 - 6 bar
Air requirement	295 l/min	335 l/min
Weight	0,26 kg	0,28 kg
Standard equipment	Short nozzle	Safety and noise damping nozzle
Type	BPA 150	BPS 470
Order no.	0901057265	0901057257

COMMON FEATURES

- Spray guns for versatile application options

EQUIPMENT FEATURES

- Ideal for spraying and cleaning very dirty parts
- Infinitely adjustable control of air and water quantity
- With water connection; compatible with all commercial plug-in systems



SPP 161

UBS 820

WRP 61

	Spray Gun SPP 161	Combo-Spray Gun UBS 820
Special advantages		
▪ Spraying cold cleaners, detergents and spray oils	•	
▪ For waxing, sealing and impregnating	•	
▪ For hollow sealing and floor protection		•
▪ For commercial screw cartridges (1l)		•
Comparative device characteristics		
Working pressure	6 bar	6 bar
Air requirement	200 l/min	180 l/min
Weight	0,8 kg	0,6 kg
Type	SPP 161	UBS 820
Order no.	0901054525	0901054479

	Washing and Cleaning Gun WRP 61
Comparative device characteristics	
Working pressure	10 bar
Air requirement	130 l/min
Weight	0,4 kg
Type	WRP 61
Order no.	0901056110

SAWS

SPECIAL-PURPOSE
MACHINES

SYSTEMATIC
ORGANISATION

GARDEN

WOOD-PROCESSING
TECHNOLOGY

WATER-/PUMP
TECHNOLOGY

WELDING
TECHNOLOGY

COMPRESSED
AIR SYSTEMS

EQUIPMENT FEATURES

- For use of commercial cartridges (400g) or filling from grease containers
- Grease container can be swivelled 360°, simplified working at places difficult to reach
- Chrome-plated grease container (removable base)
- No material dripping, i.e. clean and effective operation
- Automatic: Continuous grease intervals as long as trigger guard is actuated
- Silencer
- With filling nozzles and bleed valve for filling from external grease containers.

EQUIPMENT FEATURES

- For commercial cartridges (310 ml)
- No material dripping
- Quick bleeding by releasing the trigger guard: prevents material from dripping
- Continuous speed regulation for correct material dosage



FP 8500



KP 950

	Grease Gun FP 8500
Comparative device characteristics	
Working pressure	2 - 10 bar
Air requirement per stroke	0,4 l
Weight	1,55 kg
Standard equipment	
	Rigid grease tube (17 cm), flexible grease hose 46 cm (18"), plug-in nipple 1/4"
Type	FP 8500
Order no.	0901060983

	Cartridge Gun KP 950
Comparative device characteristics	
Working pressure	6 bar
Air requirement	65 l/min
Weight	0,46 kg
Type	KP 950
Order no.	0901058911

Accessory sets



Compressed air accessory set LPZ 4
Order no. 0901013845

Scope of delivery:
Blow gun, tyre-inflator, paint spray gun,
Rilsan spiral hose



Compressed air accessory set LPZ 6
Order no. 0901054487

Scope of delivery:
Blow gun, tyre-inflator, paint spray gun,
tyre-inflation nipple and ball hollow needle,
fabric hose 5 m




Compressed air accessory set LPZ 7 S
Order no. 0901003858

Scope of delivery:
Blow gun, tyre-inflator, paint spray gun,
spray gun, tyre-inflation nipple and
ball hollow needle, Rilsan spiral hose

Compressed-air hoses with fabric insert


- For all normal applications



Length m	Diameter mm	Maximum pressure bar	Version	Order no.
5	6	20	With quick-action coupling and nipple	0901054908
10	6	20	With quick-action coupling and nipple	0901054916
10	9	20	With quick-action coupling and nipple	0901054924
50	9	20		0901054932
50	6	20		0901056153
50	12,5	12		0901056161


SUPER-AIR compressed-air hoses

- Very flexible hose, even at low temperatures
- Resistant against compressed air containing oil



Length m	Diameter mm	Maximum pressure bar	Version	Order no.
10	6,3	20	With quick-action coupling and nipple	0901056048
10	10	20	With quick-action coupling and nipple	0901056056
50	10	20		0901057303

Spiral hoses, Rilsan



Length m	Diameter mm	Maximum pressure bar	Version	Order no.
5	8	8	With quick-action coupling and nipple	0901054940
7,5	8	8	With quick-action coupling and nipple	0901054959
10	10	8	With quick-action coupling and nipple	0901054967

Spiral hose, polyurethane

- Highly elastic special hose for professional applications
- No permanent reduction of area due to kinks
- Non-abrasive



Length m	Diameter mm	Maximum pressure bar	Version	Order no.
6	8	8	With quick-action coupling and nipple	0901062145

Hose drums

Hose recoiler SA 100
Order no. 0901054975

- With 20 m pressure hose with fabric insert and plug-in nipple

Length: 20 m
Internal diameter: 9 mm
Outside Ø: 15 mm
Maximum pressure: 15 bar
Weight: 4 kg



Hose recoiler SA 200, automatic
Order no. 0901054550

- With wall and ceiling mounting brackets
- Lock and recoil simply by pulling
- Highly flexible PU hose
- Plastic housing

Length: 8 m
Internal diameter: 8 mm
Outside Ø: 13 mm
Maximum pressure: 12 bar
Weight: 3,5 kg



SAWS

SPECIAL-PURPOSE MACHINES

SYSTEMATIC ORGANISATION

GARDEN

WOOD-PROCESSING TECHNOLOGY

WATER-/PUMP TECHNOLOGY

WELDING TECHNOLOGY

COMPRESSED AIR SYSTEMS



Hose recoiler SA 300, automatic

- Highly flexible and non-abrasive PU hose. Lock and recoil simply by pulling
- Metal housing
- With quick-action coupling, plug-in nipple and wall and ceiling mounting brackets
- Quick-action coupling, plug-in nipple and wall and ceiling mounting brackets

Length: 15 m
Internal diameter: 8 mm
Outside Ø: 12 mm
Maximum pressure: 12 bar
Weight: 8,57 kg

Order no.
0901063427



Hose drum ST 200, rotating

- With swivel joint, 360° rotatable
- Highly flexible PU hose

Length: 30 m
Internal diameter: 8,5 mm
Outside Ø: 12,5 mm
Maximum pressure: 12 bar
Weight: 8 kg

Order no.
0901054568

Rotating air admission joint



For retrofitting on compressed air tools. Optimises hose and tool control. No twisting of the compressed air line. Connecting thread: 1/4"

Order no.
0901060991

Quick connection couplings



Version	Connecting thread	Packing unit	Order no.
Self-service packaging			
Male thread	1/4"	1	0901031517
Male thread	3/8"	1	0901025894
Male thread	1/2"	1	0901025908
Female thread	1/4"	1	0901025916
Female thread	3/8"	1	0901025924
Female thread	1/2"	1	0901025932
with 6-mm spout		1	0901025940
with 9-mm spout		1	0901026351
with 13-mm spout		1	0901026360
Shop box (20 pieces)			
Male thread	1/4"	20	0901054126
Male thread	3/8"	20	0901054134
Male thread	1/2"	20	0901054142
Female thread	1/4"	20	0901054150
Female thread	3/8"	20	0901054169
Female thread	1/2"	20	0901054177
with 6-mm spout		20	0901054185
with 9-mm spout		20	0901054193
Packed loosely			
Male thread	1/4"	1	7802009083
Male thread	3/8"	1	7802009091
Male thread	1/2"	1	7802009105
Female thread	1/4"	1	7801009055
Female thread	3/8"	1	7801009063
Female thread	1/2"	1	7801009071
with 6-mm spout		1	7800009035
with 9-mm spout		1	7800009043
with 13-mm spout		1	7800009558

Compressed air distributor



Order no.

Compressed air distributor, 2-line 0901026645

Compressed air distributor, 3-line 0901026653

Plug-in nozzles



Internal diameter mm	Packing unit	Order no.
Self-service packaging		
6	1	0901025959
9	1	0901025967
13	1	0901025975
Shop box (20 pieces)		
6	20	0901054215
9	20	0901054223
Packed loosely		
6	1	7804065606
9	1	7804009161
13	1	7804010372

Thread plug-in nipple





Thread type	Connecting thread	Packing unit	Order no.
Self-service packaging			
Male thread	1/4"	1	0901025983
Male thread	3/8"	1	0901025991
Female thread	1/4"	1	0901026017
Female thread	3/8"	1	0901026025
Shop box (20 pieces)			
Male thread	1/4"	20	0901054240
Male thread	3/8"	20	0901054258
Female thread	1/4"	20	0901054266
Female thread	3/8"	20	0901054274
Packed loosely			
Male thread	1/4"	1	7803009117
Male thread	3/8"	1	7803009133
Female thread	1/4"	1	7803009125
Female thread	1/8"	1	7803010395
Female thread	3/8"	1	7803009141

Double nipple




Connecting thread	Packing unit	Order no.
Self-service packaging		
1/4"	1	0901026130
3/8"	1	0901026149
1/2"	1	0901026157
Shop box (20 pieces)		
1/4"	20	0901054363
Packed loosely		
1/4" (available as spare part)	1	7806009185
3/8" (available as spare part)	1	7806034996
1/2" (available as spare part)	1	7806009207


Reducing double nipple			
			
From connecting thread	On connecting thread	Packing unit	Order no.
Self-service packaging			
1/4"	3/8"	1	0901026173
1/2"	1/4"	1	0901026190
3/8"	1/2"	1	0901026203
Shop box (20 pieces)			
3/8"	1/2"	20	0901054401
Packed loosely			
1/8"	1/4"	1	7808009247
1/2"	1/4"	1	7808010490
1/4"	3/8"	1	7808009255
3/8"	1/2"	1	7808009263


Reducers			
			
From connecting thread	On connecting thread	Packing unit	Order no.
Self-service packaging			
1/4"	3/8"	1	0901026220
1/4"	1/2"	1	0901026238
3/8"	1/2"	1	0901026246
1/2"	3/4"	1	0901026254
Shop box (20 pieces)			
1/4"	3/8"	20	0901054410
3/8"	1/2"	20	0901054428
Packed loosely			
1/8"	1/4"	1	7809009275
1/4"	3/8"	1	7809009283
1/4"	1/2"	1	7809035764
3/8"	1/2"	1	7809009291
1/2"	3/4"	1	7809011750


Hose nozzles				
				
Thread type	Connecting thread	Dia- meter mm	Packing unit	Order no.
Self-service packaging				
Male thread	1/4"	6	1	0901026041
Male thread	1/4"	9	1	0901026068
Male thread	3/8"	6	1	0901026050
Male thread	3/8"	9	1	0901026076
Male thread	3/8"	13	1	0901026114
Female thread	1/4"	6	1	0901026084
Female thread	1/4"	9	1	0901026092
Female thread	3/8"	6	1	0901026289
Female thread	3/8"	9	1	0901026106
Shop box (20 pieces)				
Male thread	1/4"	6	20	0901054282
Male thread	1/4"	9	20	0901054290
Male thread	3/8"	6	20	0901054304
Male thread	3/8"	9	20	0901054312
Packed loosely				
Male thread	1/8"	6	1	7805009106
Male thread	1/4"	6	1	7805009343
Male thread	1/4"	9	1	7805009440
Male thread	1/4"	13	1	7805033767
Male thread	3/8"	6	1	7805009351
Male thread	3/8"	9	1	7805009483
Male thread	3/8"	13	1	7805009319
Male thread	1/2"	13	1	7805009300
Female thread	1/4"	6	1	7805009416


Thread type	Connecting thread	Dia- meter mm	Packing unit	Order no.
Female thread	1/4"	9	1	7805009432
Female thread	3/8"	6	1	7805009459
Female thread	3/8"	9	1	7805009475

Screw clamps			
			
From Ø mm	To Ø mm	Packing unit	Order no.
Self-service packaging			
8	11	5	0901026777
12	20	5	0901026807

Screw clamps			
			
From Ø mm	To Ø mm	Packing unit	Order no.
Self-service packaging			
11	13	5	0901054983
13	15	5	0901054991

Hose connecting pipes			
			
Internal diameter mm	Packing unit	Order no.	
Self-service packaging			
6	1	0901026378	
9	1	0901026386	
Packed loosely			
6	1	7807009367	
9	1	7807009375	

Oils	
	
	Order no.
Special oil 0.5 litres for compressed air tools	0901008540
Compressor oil, 1 litre, for piston condenser	0901004170
Compressor oil, 5 litres, for screw compressor	0901017239

Fabric sealing tape	
	
<ul style="list-style-type: none"> Seals without hemp or sealing paste For metal and plastic threaded joints Length on roll: 12 m Width: 12 mm Thickness: 0,1 mm Strength 0.1 mm	Order no.
	0901026319

SAWS

SPECIAL-PURPOSE MACHINES

SYSTEMATIC ORGANISATION

GARDEN

WOOD-PROCESSING TECHNOLOGY

WATER-/PUMP TECHNOLOGY

WELDING TECHNOLOGY

COMPRESSED AIR SYSTEMS

FOR DEVICES THAT ARE NOT CATALOGUE IN THE LISTED (AVAILABLE AS LONG AS STOCK LASTS)

HAND-HELD ELECTRICAL TOOLS	Order no.
----------------------------	-----------

DRILLING MACHINES

For B 7532/4 Electromagnetic drill-stand 732	6.00732
--	---------

DIAMOND DRILLING SYSTEM

Diamond wet-drilling core bits			
Outer-Ø	Length	Connection	
10 mm	200 mm	R 1/2" AG	6.24670
16 mm	300 mm	R 1/2" AG	6.24671
20 mm	300 mm	R 1/2" AG	6.24672
25 mm	300 mm	R 1/2" AG	6.24673
35 mm	300 mm	R 1/2" AG	6.24675
40 mm	300 mm	R 1/2" AG	6.24676
62 mm	400 mm	1 1/4" UNC IG	6.24757
72 mm	400 mm	1 1/4" UNC IG	6.24758
82 mm	400 mm	1 1/4" UNC IG	6.24759
92 mm	400 mm	1 1/4" UNC IG	6.24760
102 mm	400 mm	1 1/4" UNC IG	6.24761
112 mm	400 mm	1 1/4" UNC IG	6.24762
122 mm	400 mm	1 1/4" UNC IG	6.24763
132 mm	400 mm	1 1/4" UNC IG	6.24764
152 mm	400 mm	1 1/4" UNC IG	6.24765
Diamond dry-drilling core bits			
External Ø	Length	Connection	
36 mm	350 mm	1 1/4" UNC IG	6.24790
47 mm	350 mm	1 1/4" UNC IG	6.24791
68 mm	350 mm	1 1/4" UNC IG	6.24792
82 mm	350 mm	1 1/4" UNC IG	6.24793
112 mm	350 mm	1 1/4" UNC IG	6.24794
127 mm	350 mm	1 1/4" UNC IG	6.24795
132 mm	350 mm	1 1/4" UNC IG	6.24796
152 mm	350 mm	1 1/4" UNC IG	6.24797
Diamond socket countersink for dry drilling			
External Ø	Length	Connection	
68 mm	95 mm	1 1/4" UNC IG	6.24798
82 mm	95 mm	1 1/4" UNC IG	6.24799
Centring crosses for socket countersink up to drilling core bit diameter			
36 mm			6.24771
47 mm			6.24772
68 and 82 mm			6.24773
also: Centre-drill (as spare)			
Ø 8 mm x 90 mm			6.24777
Water flushing head			6.24667
Drill stand (for max. 40 mm Ø)			
also: Connector 35/35 mm diameter			6.31593
Stationary water extraction			6.24654
also: Seal (as spare)			6.24663
Suction rotor with 1 1/4" outer thread			6.24770
Fastening set, masonry			6.24657
Quick-action column			6.24658

SCREWDRIVERS

Depth-stop sleeves		
For SE 5025 R+L		
Length	Internal Ø	
61 mm	20 mm	6.30644
61 mm	30 mm	6.30640
For SE 5025 R+L / SE 5040 R+L		
Length	Internal Ø	
49 mm	20 mm	6.30645
67 mm	13,5 mm	6.30643
87 mm	17,5 mm	6.30642
91 mm	17,5 mm	6.30641
For S E 5061 R+L		
85 mm		6.30651
75 mm		6.30652

SANDING MACHINES

For triangular base-plate sander DSE 170/180 Perforated base plate	6.24970
For disc sander SXE 125 Velcro-faced support pad medium-hard	6.31224
Soft	6.31225
Paper dust bags	6.31385

	Order no.
--	-----------

For sander Sr 4321 Self-adhesive, Velcro-faced liner, (non-perforated) 115 x 280 mm also: Cling-fit sanding sheets, non-perforated, 113 x 235 mm, packs of 5	6.24910
P 100	6.24907
P 120	6.24908

For sanders Sr E 217, Sr 226, Sr E 227, Sr 326, Sr E 329 Paper dust bag, complete	6.31385
---	---------

For belt sanders Sanding belts, packs of 5 items			
Size	Grit		
65 x 410 mm	P 40	6.31410	
	P 60	6.31411	
	P 80	6.31412	
	P 100	6.31413	
	P 150	6.31414	
	P 240	6.31415	
	75 x 575 mm	P 40	6.30689
		P 80	6.30691
		P 100	6.30692
	100 x 620 mm	P 120	6.30693
P 80		6.30698	
P 120		6.30700	
P 150		6.30701	
P 180	6.30702		

For bench grinders			
Dimensions	Grid/ Hardness	Suitable for	
Grinding wheels, normal corundum			
150 x 20 x 32	36 P	Ds 7202	6.30777
150 x 20 x 32	80 M	Ds 7202/ Ds 7203	6.30778
175 x 20 x 32	36 P	Ds 7204	6.30780
175 x 20 x 32	80 M	Ds 7204	6.30781
200 x 25 x 32	36 P	Ds 7211	6.30784
200 x 25 x 32	60 N	Ds 7211	6.30785
250 x 32 x 32	24 Qu	Ds 7226	6.30788
250 x 32 x 32	60 N	Ds 7226	6.30789
Pink grade corundum grinding wheels			
150 x 50 x 13		Ds 7203	6.30779

SAWS

For chainsaws		
Saw chain for Kt 5338 A	1/4" / 64	6.30196
Saw chain for Kt 1440	3/8" / 59	6.31435
Sharpening set for Kt 1440		6.31437
File holder for Kt 1440		6.31439
For band saws		
Saw blade 1810 x 9,4	4 teeth/inch	6.27642
Saw blade 1810 x 12,7	4 teeth/inch	6.27643
Saw blade 1810 x 6,4	6 teeth/inch	6.27641
Saw blade 1810 x 6,0	24 teeth/inch	6.27644

SPECIAL-PURPOSE MACHINES

Glue Gun PK 14-4 Plus "Power Glue" Hot-melt adhesive cartridge 50g	6.31919
For ASB 1025 / ASK 1005 Paper filter bag	6.31338
For AS 9010 / ASA 9011 Paper filter bag	6.31348

HEDGE TRIMMERS

Storage case 525 mm long	6.31378
--------------------------	---------

LAWN TRIMMERS

Line cartridge for uno tip 300	6.31716
Line cartridge for duo tip 400	6.31717
Line cartridge for ES 1000	6.31719

STATIONARY DEVICES AND MACHINES	Order no.
---------------------------------	-----------

WOODWORKING MACHINES MAGNUM

For Magnum Tk 1256 Wheels	6.31324
Table-top width extension kit	6.31463
Table length extension	6.31467
Clamp	6.31464
Splitwedge	6.31466
Crosscut stop	6.31462

For Magnum Tk 1688 Wheels	6.31324
Sliding table	6.31581
Crosscut stop	6.31462

For Magnum TKU 225 Electronic and Magnum Tk 1066 Machine stand, folding	6.31883
Table length extension	6.31881
Table width extension	6.31882
Extendable length-stop	6.31462
Clamp	6.31464
Universal stop for TKU 225 Electronic (as spare)	6.31885
Reduction sleeve Ø 100/58 mm	6.31884

Carbide-tipped circular saw blades Ø 210 mm, 2.4 mm tooth width, 30 mm bore		
Type of teeth	Number of teeth	
Alternately bevel-ground tips	30	6.31888
Alternately bevel-ground tips	42	6.31889
Alternately bevel-ground tips	64	6.31890
Alternately bevel-ground tips	60	6.31891
Trapezoidal flat top, 5° neg.	40	6.31893

For Magnum TKU 1693 Table length extension	6.31694
Suction hoses	
3.5 m long	6.31362
1.75 m long	6.30318

Parts for conversion to a dimensioning saw Dimension sliding table, 920 mm long	6.31672
--	---------

For Magnum Bs 0633 Wheels (set of 2)	6.31324
--	---------

Band saw blades, endless, 2230 mm long			
Width	Thickness	Teeth/ inch	
mm	mm		
12,5	0,5	4	6.30851
15,0	0,5	4	6.30855
6,0	0,5	6	6.30850
3,5	0,5	14	6.30852
10,0	0,5	4	6.30854
12,0	0,5	14	6.30858
Chip hose			6.30922
Circular sawing attachment			6.30843

Sanding belts, endless 2215 x 20 mm for flat surface sanding (flexible belts)	Grit P 150	6.30863
---	---------------	---------

For Magnum BS 1638 Sanding belts (set of 3) endless, 20 x 2205 mm (flexible belts)	Grit P 150	6.30863
Cling-fit sanding sheets (set of 5) Ø 200 mm	Grit P 80	6.24896

For Magnum ADH 1626 Intermediate plate for cabinet base Wheels (set of 2)	6.31222 6.31324
Carbide-tipped planer blades Set of disposable reversible planer blades with blade holder	6.30546 6.31240
Disposable reversible planer blades (set of 2)	6.31241

	Order no.	WOOD PROCESSING TECHNOLOGY ELEKTRA BECKUM/METABO	Order no.		Order no.
CIRCULAR SAWING MACHINES					
For Magnum ADH 260		For UK 220 W		For KS 304	
HS (HSS) planer blades (set of 2)	6.30467	Machine stand	0910017047	304 x 2,2 x 30	Alternately 48 0910053396
Set of disposable reversible planer blades	6.30468	Base support system	0910018450		bevel-ground tips, 3° neg./carbide
For Magnum ADH 310		also:		304 x 2,2 x 30	Alternately 64 0910053400
Wheel attachment	6.31875	Extension	0910050028		bevel-ground tips, 3° neg./carbide
Table length extension	6.31881	Support base	0910050036	For TK 350 (until 1983)	
Reversible planer blades	6.31877	Sliding table	0910018434	350 x 1,8 x 30	Peg tooth/CrV 56 0910000268
HS (HSS) reversible planer blades	6.31878	Table width extension	0910018442	350 x 1,8 x 30	Crosscut blade/CrV 80 0910000209
Mortising attachment	6.31870	Table length extension	0910018469	350 x 1,8 x 30	Flat top/Secondary hole holder./HM 22 0910000322
Full-view safety goggles	6.31075	Universal fence	0910019937	For MC 2000 (until 1997)	
also: Replacement lens	6.31159	Chip suction unit	0910017608	355 x 2,2 x 25	Flat top with alternately bevel-ground tips/carbide 60 0910050222
For Magnum Tf 1690		Workpiece clamping fixture	0910053124	For BW 500 (until 1998)	
U-section bars for lower cabinet	6.31323	For PK 255, PKf 255, PKF 255 V8		500 x 2,5 x 30	Peg tooth/CrV 56 0910003437
Wheels (set of 2)	6.31324	Table width extension	0910040480	500 x 2,8 x 30	Alternating bevel-ground tips/Secondary hole holder./HM 22 0910003461
Set of profile blades, alloy-steel				PLANER BLADES	
No. 13	6.31291	CIRCULAR SAW BLADES			
No. 16	6.31298	Circular saw blades		Dimensions mm	Suitable for
No. 17	6.31299	Dimensions mm	Type of teeth/ Material	Teeth number	Packing unit
Strip with thrust combs	6.31258	For Multi 180 (until 2002)		182 x 19 x 2,5	Multi 180 2 0920054021
Intermediate plate	6.31319	200 x 2 x 30	Alternating bevel-ground tips/ Carbide	260 x 20 x 3	HC 260 M 2 0911030721
For Magnum Tba 1018		200 x 2 x 30	Alternating bevel-ground tips/ Carbide	263 x 24,5 x 3	HC 260 E/ES (until 1989) 2 0911030748
Sanding belts 180 x 1550 mm (set of 2), for wood		200 x 2 x 30	Alternating bevel-ground tips/ Carbide	310 x 25 x 3	HC 310 (until 1993) 3 0920007112
P 60	6.31190	For KS 205 (until 1999)		310 x 30 x 3	HC 314 (until 1999) 4 0911016362
P 80	6.31191	205 x 1,2 x 18	Crosscut blade/CrV	319 x 18 x 3	DH 315 (until 1999) 2 0911053152
P 100	6.31192	205 x 1,6 x 18	Alternating bevel-ground tips/ Carbide	320 x 25 x 3	HC 320 (until 1999) 3 0911014220
P 150	6.31193	205 x 1,6 x 18	Alternating bevel-ground tips/ Carbide	332 x 12 x 1,5	DH 330, DH 316 0911063549
P 200	6.31194	For UK 200 W		334 x 16 x 2	DH 330 2 0911062119
for wood and metal (base material: fabric)		210 x 2,4 x 30	Alternating bevel-ground tips/ Carbide		
P 80	6.31195	210 x 2,4 x 30	Alternating bevel-ground tips/ Carbide		
P 150	6.31196	210 x 2,4 x 30	Alternating bevel-ground tips/ Carbide		
For Magnum Ag 2416		210 x 2,4 x 30	Alternating bevel-ground tips/ Carbide		
Pleated filter	6.30899	For PKV 300 G (until 1996)			
Extension hose NW 100	6.30895	with combi-secondary hole holder			
Connecting sleeve	6.30894	300 x 1,8 x 30	Alternating bevel-ground tips/ Carbide		
Chip bags (set of 10)	6.30896	300 x 1,8 x 30	Alternating bevel-ground tips/ Carbide		
For Magnum AG 2417		300 x 2,2 x 30	Roof hollow tooth/ Carbide		
Reduction sleeve Ø 100/58 mm	6.30841	300 x 1,8 x 30	Alternating bevel-ground tips/ Carbide		
Extension hose NW 100	6.31755	300 x 1,8 x 30	Alternating bevel-ground tips/ Carbide		
Suction hoses Ø 35 mm		300 x 1,8 x 30	Alternating bevel-ground tips/ Carbide		
3,5 m long	6.31362	300 x 2,2 x 30	Flat top/ Trapezoid tooth/ Carbide		
2,5 m long (flame-resistant)	6.30331	300 x 1,8 x 30	Relieving saw blade		
1,75 m long	6.30318	102 x 2,8 x 22	Flat top/ Trapezoid tooth/ Carbide		
Y-piece	6.30897				
Chip bags (set of 5)	6.31756				
For Magnum EOB 9228					
Reduction sleeve Ø 82/58 mm	6.30892				
Extension hose	6.30895				
Connecting sleeve	6.30894				
Suction hose (flame-resistant)	6.30331				
Chip bags (set of 10)	6.30896				
For Magnum EOB 9520					
Reduction sleeve Ø 100/58 mm	6.30841				
Extension hose Ø 100 mm	6.30895				
Suction hose Ø 35 mm	6.30331				
Chip bags (set of 10)	6.30913				

			Order no.				Order no.				Order no.
BAND SAWS											
For BAS 315 / BAS 316											
Lower stand			0909004276								
Angular stop			0910008048								
Precision three-pulley guide			0909010900								
BAND SAW BLADES											
Dimensions mm	Pitch	Suitable for		Dimensions mm	Pitch	Suitable for					
For BS 150 E (until 1998)											
1067 x 5 x 0,65	A2	Wood, Plastic	0909052939	3380 x 6 x 0,5	A4	Wood, Plastic – for curved cuts	0909029180				
	Rake tooth				Helical tooth						
1067 x 3 x 0,65	A2	Aluminium, Plastic	0909052947								
	Helical tooth			3380 x 13 x 0,65	A2	Nonferrous metal, Steel profiles	0909029228				
1067 x 5 x 0,65	A2	Nonferrous metal, Foam material	0909052920		Rake tooth						
	Rake tooth			3380 x 15 x 0,5	A2	Wood Nailproof, Foam materials	0909029210				
For BS 230 (until 2001)											
1505 x 6 x 0,36	A4	Wood, Plastic – for curved cuts	0909040817		Rake tooth						
	Helical tooth			3380 x 15 x 0,5	A6	Wood, Plastic – Universal cuts	0909029171				
1505 x 12 x 0,36	A6	Wood, Plastic – Universal cuts	0909040825		Peg tooth						
	Peg tooth			3380 x 25 x 0,5	A6	Wood, Plastic – straight cuts	0909000416				
1505 x 12 x 0,36	A2	Nonferrous metal, Foam material	0909040841		Peg tooth						
	Rake tooth			3380 x 25 x 0,5	A18	Wood, Firewood	0909000424				
					Peg tooth						
For BAS 250 G											
1712 x 6 x 0,36	A4	Wood, Plastic – for curved cuts	0909057175	TABLETOP ROUTERS							
	Helical tooth			For TF 100							
1712 x 12 x 0,36	A6	Wood, Plastic – Universal cuts	0909057183	Table length extension 0914003598							
	Peg tooth			Sliding table 0914015600							
1712 x 12 x 0,36	A2	Nonferrous metal, Foam material	0909057191	also:							
	Rake tooth			Eccentric clamping device without stand 0910009680							
				Clamping stand 0914030790							
For BAS 315 G / BAS 316 G											
2240 x 6 x 0,5	A4	Wood, Plastic – for curved cuts	0909029252	For TF 904							
	Helical tooth			Wheel attachment 0914016134							
2240 x 12 x 0,5	A6	Wood, Plastic – Universal cuts	0909029244	Table length extension 0914005329							
	Peg tooth			Sliding table 0914006538							
2240 x 15 x 0,5	A6	Wood, Plastic – straight cuts	0909029260	also:							
	Peg tooth			Eccentric clamping device without stand 0910009680							
2240 x 15 x 0,5	A2	Metal, Foam materials	0909029279	Clamping stand pressure appliance 0914009790							
	Rake tooth			Routing protection device for arc cutting 0914008166							
				also:							
				Positioning fixture for arc cutting stop 0914010543							
				Small arc cutting stop 0914010594							
				Big arc cutting stop 0914010608							
				Grinding cylinder 0914018757							
				Profile discs							
				Dimensions							
				150 x 30 x 30 P 80 0914016185							
				150 x 40 x 30 P 80 0914016207							
				150 x 50 x 30 P 80 0914016223							
				also:							
				Wood drill bits (2 piece): 0914015111							
CUTTER											
Carbide straight bit											
Groove width	Diameter	Bore									
4 mm	100 mm	30 mm	0914031095								
6 mm	100 mm	30 mm	0914031117								
8 mm	100 mm	30 mm	0914031125								
10 mm	100 mm	30 mm	0914031133								
12 mm	100 mm	30 mm	0914031141								
14 mm	100 mm	30 mm	0914031150								
16 mm	100 mm	30 mm	0914031168								
18 mm	100 mm	30 mm	0914031176								
20 mm	100 mm	30 mm	0914031184								
HSS glue joint profile cutter											
Height 45 mm, Ø 120 mm											
	0914004110										
Panel raising cutter											
Height	Diameter	Bore									
16 mm	150 mm	30 mm	0914004160								
Counter profile cutter set Ø 120 mm											
	0914004144										
Profile cutter set Multicat (5 piece), Ø 120 mm											
	0914004152										
Universal cutter-head height, 40 mm, Ø 96 mm with blade and deflector bar											
No. 0, 1, 3, 13, 16, 17, 21											
also:											
Profile blades and guards											
Profile blade blanks	0914029295										
Profile blade BG no. 3	0914029716										
Deflector BG no. 11	0914030161										
Profile blade BG no. 16	0914029848										
Profile blade BG no. 17	0914029856										
Deflector BG no. 17	0914030226										
Profile blade BG no. 35	0914030030										
Deflector BG no. 35	0914030404										
CHIP AND DUST-EXTRACTION UNITS											
For SPA 2000											
Filter cartridges	0913013573										
WOOD TURNING LATHES											
For HDM 1000											
Lower stand	0912003612										
Carrier tip	0912003760										
Lathe chuck											
3 jaw lathe chuck with clamping collar	0912003620										
4 jaw lathe chuck with clamping collar	0912003639										
Drill chuck protection	0912003647										
Lathe chuck set consisting of bung-chuck and screw-chuck	0912003728										
Copying attachment	0912003655										
also:											
Universal chisel	0912003671										
Cutting tips for universal chisel, 1 pair	0912029280										
Copying template line	0912003663										
Bore diameter turning tool	0912003752										
Steady	0912005070										
Turning chisel line assortment	0912003698										
Disc sanding equipment	0912003680										
also:											
Sanding sheets											
K60 KP 31 B	9131077820										
K80 KP 31 B	9131077839										
Gear chuck	0912000982										
Flexible shaft	0911001004										